



INTRODUCING THE ALL-NEW CLUB CAR CURRENT

Compact, versatile, electric. It's a job-doer.

The all-new Current, available in Current and Current LSV models, is like a truck-but better. It features enhanced maneuverability, new/enhanced specially designed automotive body panels for increased durability, and an optional GPS locator with geofencing capability. Available in three different configurations.

0

PERFORMANCE THAT'S UNBEATABLE

The new Current and Current LSV are the ideal all-purpose vehicles for your campus.

The Current fills the gap between full-sized trucks and smaller utility vehicles. Its all-electric design features the latest technology for power, comfort, and safety – giving you the durability of a pickup truck with the sleek design and efficiency of a utility vehicle.





The Current and Current LSV footprint is smaller than a traditional truck, allowing you to get around campus with flexibility and adaptability that a van or full-sized vehicle doesn't offer.



DESIGNED TO DO THE WORK

With a 13.4 HP electric motor and payload capacity up to 1,246 lbs., both the Current and Current LSV handle any job with ease while helping your campus meet its zero-emissions goals for transportation.

- Standard backup camera
- New updated dashboard, displaying vehicle health
- In-car radio and connectivity
- GPS navigation and locator
- Increased payload capacity
- Power-assist steering





| DIMENSIONS | | | |
|---|---|--|--|
| LENGTH | 155 in / 393.7 cm | | |
| WIDTH | 60 in / 152.4 cm | | |
| HEIGHT | 76 in / 193 cm | | |
| CURB WEIGHT | 2,039 lbs / 924 kg | 2,090 lbs / 948 kg | 2,200 lbs / 997 kg |
| PAYLOAD | LSV: 850 lbs / 386 kg Non LSV : 1,246 lbs / 565 kg | LSV: 795 lbs / 360 kg Non LSV: 1,195 lbs / 542 kg | LSV: 685 lbs / 310 kg Non LSV: 1,085 lbs / 492 kg |
| PERFORMANCE | | | |
| TOP SPEED | LSV: Up to 25 mph / 40 km/h Non LSV: Up to 20 mph / 32 km/h | | |
| GRADE | Up to 22% | | |
| TURNING RADIUS | 157 in / 3.9 m / 13' 1" | | |
| ACCELERATION | 0 - 20 mph in > 6 seconds / 0 - 32 km/h in > 6 seconds | | |
| BRAKING DISTANCE | LSV: 25 ft @ 25 mph / 7.6 m @ 40 km/h / Best in Class Non LSV: 16 ft @ 20 mph / 4.9 m @ 32 km/h / Best in Class | | |
| SPECIFICATIONS | | | |
| RANGE | Up to 57 mi / 91 km | | |
| RECHARGE | Up to 6-8 hours / 110V/15A | | |
| WARRANTY - VEHICLE | 2 years* | | |
| WARRANTY - BATTERIES | 2 years* | | |
| EQUIPMENT | | | |
| BACKUP CAMERA | Standard | | |
| LCM DISPLAY | Standard / 7 in / 17.7 cm | | |
| PARKING BRAKE - MANUAL | Standard | | |
| BODY PANELS | Reinforced ABS / Corrosion-resistant | | |
| CABIN AIR | Heating + Ventilation | | |
| MOTOR | | | |
| MOTOR | 10 Kw | | |
| HORSEPOWER | 13.4 HP | | |
| MOTOR CONTROLLER | 240A AC Controller | | |
| DRIVE SYSTEM | 2-wheel Rear Wheel Drive | | |
| BED OPTIONS | | | |
| DIMENSIONS | 55.25 in / 140.3 cm Width / 88 in / 223.5 cm Length | 55.25 in / 140.3 cm Width / 94.5 in / 240 cm Length | 55.25 in / 140.3 cm Width / 91.5 in / 232.4 cm Length |
| CARGO BOX VOLUME | | | 123 sq. ft / 11.43 sq. m |
| BATTERIES | | | |
| ТҮРЕ | VRLA (120 Ah) | | |
| VOLTAGE | 72V | | |
| NUMBER OF BATTERIES | 6 | | |
| CAPACITY | 8.64 kWh | | |
| SAFETY | | | |
| CHASSIS | Reinforced Steel / Coated | | |
| SUSPENSION | Front: Transverse Leaf Spring / Rear: Horizontal Spring with Coil-over Shock | | |
| BRAKES | Disc / 4-wheel, Hydraulic | | |
| STEERING | Power Assist | | |
| LSV INCLUDES VIN AND MCO FOR TITLE AND REGISTRATION. *For details, consult User Manual. All prices, features, options, and specifications are subject to change without notice. | | | |

NON LSV FOR CLOSED CAMPUS APPLICATIONS ONLY. VEHICLE DOES NOT INCLUDE VIN OR MCO. *For details, consult User Manual. All prices, features, options, and specifications are subject to change without notice.



Find your local authorized Club Car dealer now, and take control of your fleet.

LEARN MORE AT CLUBCAR.COM





1.800.CLUBCAR | 1.706.863.3000 | clubcar.com